

CUTFIX 8**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



- For automatically cutting individual wires to length
- High repeat accuracy due to the precise servo DC drive
- Interface for controlling the automatic cutter via an IBM-compatible PC

General ordering data

Type	CUTFIX 8
Order No.	9023100000
Version	Automatic machines, Cutting machine
GTIN (EAN)	4032248143184
Qty.	1 pc(s).

CUTFIX 8**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

Technical data**Dimensions and weights**

Width	385 mm	Width (inches)	15.157 inch
Height	470 mm	Height (inches)	18.504 inch
Depth	360 mm	Depth (inches)	14.173 inch
Weight	24 kg	Net weight	26,500 g

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

Technical data

Electrical connection 100-240 V / 50/65 Hz

Automatic cutting

Amount pre-selection, max.	Adjustable partial amount preselection	Aperture (max. diameter)	8 mm outer diameter
Connected load	0.12 kW	Correction for length	Slip correction in mm can be programmed to suit the part.
Display	LCD display	Drive	electrical
Electrical connection	100-240 V / 50/65 Hz	Interface	USB
Keyboard	Entry and functions keypad	Length pre-selection, max.	999,999 mm
Length pre-selection, min.	1 mm	Software	for data exchanging with IBM-compatible PC
Storage	Up to 200 cutting jobs		

Classifications

ETIM 3.0	EC000158	ETIM 4.0	EC000158
ETIM 5.0	EC000158	ETIM 6.0	EC002778
UNSPSC	27-11-28-14	eClass 5.1	21-04-04-02
eClass 6.2	17-13-01-03	eClass 7.1	21-04-04-90
eClass 8.1	21-04-04-90	eClass 9.0	17-13-01-01
eClass 9.1	17-13-01-03		

Approvals

Approvals



ROHS

Conform

Downloads

Brochure/Catalogue	CAT 6 TOOLS 15/16 EN
User Documentation	Manual

CUTFIX 8

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

